



**Landscape  
Products®**

PROFESSIONAL OUTDOOR LIGHTING

# PRODUCT GUIDE



# Product Guide



Landscape Products Professional Outdoor Lighting is engineered and manufactured to deliver uncompromising quality and value, providing industry professionals the confidence and performance expected in professional grade lighting products. All Landscape Products fixtures, lamps and transformers are ETL listed to UL 1838 standards.

## TABLE OF CONTENTS

UP LIGHT.....	1	LAMPS - G4 SILICONE.....	6
DOWN LIGHT.....	1	LAMPS - G4 CERAMIC.....	6
FLOOD LIGHT.....	2	LAMPS - SCB.....	6
PATH LIGHT.....	2	LAMP PRODUCT CODE GUIDE.....	7
MODERN PATH LIGHT.....	3	LED LAMP & FIXTURE	
LEDGE LIGHT.....	3	PERFORMANCE SPECIFICATIONS..	7
SURFACE MOUNT STEP-LIGHT....	4	LAMP PHOTOMETRICS - MR16....	8
TRANSFORMERS.....	5	INTEGRATED PHOTOMETRICS.....	9
LAMPS - MR16.....	5		

### WARRANTY

Landscape Products Professional Outdoor Lighting is designed and manufactured to give industry professionals the confidence, performance, and value they expect in professional grade landscape lighting products. Our line of landscape lighting provides the following warranties: antique brass models are backed by a lifetime warranty; all aluminum products, low voltage lamps, and integrated stainless-steel transformers are covered for a period of 5-years. Ledge lights are covered for a period of 10 years.

## UP LIGHT

### FEATURES:

- Adjustable Rotational Shroud
- Lamp is pre-installed
- Shock/Heat Resistant Clear Lens
- Durable Die-cast Construction
- O-Ring Seals + Bug/Water Base Plug
- Spring Loaded Ceramic GU5.3 Bi-Pin Socket
- 10 ft. 18/2 Wire Lead

### INCLUDES:

- Pre-installed 4W 2700K LED MR16 Lamp
- 8" Ground Stake
- Frosted Lens
- Silicone Filled Wire Nuts
- Replacement Gaskets



FINISH	PRODUCT CODE	SKU #	HOUSING	LED
Bronze	LP-BUL1-BZ-LED	29000110	Aluminum	MR16 Included: 4W, 320 Lumens, 40deg, 2700K
	LP-BUL1-BZ-NL	29000115	Aluminum	MR16 SOLD SEPARATELY
Black	LP-BUL1-BK-LED	29000120	Aluminum	MR16 Included: 4W, 320 Lumens, 40deg, 2700K
	LP-BUL1-BK-NL	29000125	Aluminum	MR16 SOLD SEPARATELY
Antique Brass	LP-BUL1-AB-LED	29000150	Brass	MR16 Included: 4W, 320 Lumens, 40deg, 2700K
	LP-BUL1-AB-NL	29000155	Brass	MR16 SOLD SEPARATELY

## DOWN LIGHT

### FEATURES:

- Adjustable Rotational Shroud
- Shock/Heat Resistant Clear Lens
- Durable Die-cast Construction
- O-Ring Seals + Bug/Water Base Plug
- Spring Loaded Ceramic GU5.3 Bi-Pin Socket
- 25 ft. 18/2 Wire Lead

### INCLUDES:

- Mounting screws
- Frosted Lens
- Silicone Filled Wire Nuts
- Replacement Gaskets
- Lamp not included



FINISH	PRODUCT CODE	SKU #	HOUSING	LED
Bronze	LP-DL1-BZ-NL	29003015	Aluminum	MR16 SOLD SEPARATELY
Black	LP-DL1-BK-NL	29003025	Aluminum	MR16 SOLD SEPARATELY
Antique Brass	LP-DL1-AB-NL	29003055	Brass	MR16 SOLD SEPARATELY

# FLOOD LIGHT

**FEATURES:**

- 8.5W, 400 Lumens 2700K Integrated LED Module
- Field Replaceable LED Module
- Shock/Heat Resistant Frosted Lens
- Durable Die-cast Construction
- O-Ring Seals + Bug/Water Base Plug
- 10 ft. 18/2 Wire Lead

**INCLUDES:**

- 8" Ground Stake
- Clear Lens
- Silicone Filled Wire Nuts
- Replacement Gaskets
- Screws



FINISH	PRODUCT CODE	SKU #	HOUSING	LED
Bronze	LP-FL1-BZ-LED	29002010	Aluminum	8.5W, 400 Lumens, 2700K, Integrated LED
Black	LP-FL1-BK-LED	29002020	Aluminum	8.5W, 400 Lumens, 2700K, Integrated LED
Antique Brass	LP-FL1-AB-LED	29002050	Brass	8.5W, 400 Lumens, 2700K, Integrated LED

# PATH LIGHT

**FEATURES:**

- O-Ring Seals
- Polycarbonate Frosted Lens
- Durable Die-cast Construction
- Ceramic T3 G4 Bi-Pin Socket
- 10 ft. 18/2 Wire Lead

**INCLUDES:**

- 2.1W 2700K LED G4 Lamp
- 8" Ground Stake
- Clear Lens
- Silicone Filled Wire Nuts
- Replacement Gaskets



FINISH	PRODUCT CODE	SKU #	HOUSING	LED
<b>4" Diameter Top / 12" Stem Height</b>				
Bronze	LP-PL1-412-BZ-LED	29001010	Aluminum	T3 G4 Included: 2.1W, 250 Lumens, 2700K
Black	LP-PL1-412-BK-LED	29001020	Aluminum	T3 G4 Included: 2.1W, 250 Lumens, 2700K
Antique Brass	LP-PL1-412-AB-LED	29001050	Brass	T3 G4 Included: 2.1W, 250 Lumens, 2700K
<b>6" Diameter Top / 18" Stem Height</b>				
Bronze	LP-PL2-618-BZ-LED	29001410	Aluminum	T3 G4 Included: 2.1W, 250 Lumens, 2700K
Black	LP-PL2-618-BK-LED	29001420	Aluminum	T3 G4 Included: 2.1W, 250 Lumens, 2700K
Antique Brass	LP-PL2-618-AB-LED	29001450	Brass	T3 G4 Included: 2.1W, 250 Lumens, 2700K

# MODERN PATH LIGHT

**FEATURES:**

- 3W 2700K Integrated LED
- 20" Overall Fixture Height
- Field Replaceable LED Module
- Shock/Heat Resistant Frosted Lens
- Durable Die-Cast Construction
- 10 ft. 18/2 Wire Lead

**INCLUDES:**

- 8" Ground Stake
- Silicone Filled Wire Nuts
- Replacement Gaskets



FINISH	PRODUCT CODE	SKU #	HOUSING	LED
Bronze	LP-MP1-BZ-LED	29000610	Aluminum	3W, 200 Lumens, 2700K, Integrated LED
Black	LP-MP1-BK-LED	29000620	Aluminum	3W, 200 Lumens, 2700K, Integrated LED
Antique Brass	LP-MP1-AB-LED	29000650	Brass	3W, 200 Lumens, 2700K, Integrated LED

# LEDGE LIGHT

**FEATURES:**

- 4.5 In. LED Ledge Light
- Field Replaceable LED Module
- Frosted Lens
- Durable Die cast Construction
- 3W, 100 Lumens 2700K Integrated LED
- 10 ft. 18/2 Wire Lead

**INCLUDES:**

- Silicone Filled Wire Nuts
- Screws
- Anchors



FINISH	PRODUCT CODE	SKU #	HOUSING	LED
Bronze	LP-LL1-BZ-LED	29002410	Aluminum	3W, 100 Lumens, 2700K Integrated LED
Black	LP-LL1-BK-LED	29002420	Aluminum	3W, 100 Lumens, 2700K Integrated LED
Antique Brass	LP-LL1-AB-LED	29002450	Brass	3W, 100 Lumens, 2700K Integrated LED

# SURFACE MOUNT STEP-LIGHT

**FEATURES:**

- 2W, 4W 2700K Integrated LED Module
- Dimmable
- Shock/Heat Resistant Frosted Lens
- Durable Die-Cast Construction
- 10 ft. 18/2 Wire Lead



**INCLUDES:**

- Mounting Hardware
- Frosted Lens
- Silicone Filled Wire Nuts
- Replacement Gaskets



FINISH	PRODUCT CODE	SKU #	HOUSING	LED
<b>5" Step Light / 2W</b>				
Bronze	LP-SL1-BZ-LED	29002810	Aluminum	2W, 200 Lumens, 2700K, Integrated LED
Black	LP-SL1-BK-LED	29002820	Aluminum	2W, 200 Lumens, 2700K, Integrated LED
Antique Brass	LP-SL1-AB-LED	29002850	Brass	2W, 200 Lumens, 2700K, Integrated LED
<b>9" Step Light / 4W</b>				
Bronze	LP-SL2-BZ-LED	29002910	Aluminum	4W, 450 Lumens, 2700K, Integrated LED
Black	LP-SL2-BK-LED	29002920	Aluminum	4W, 450 Lumens, 2700K, Integrated LED
Antique Brass	LP-SL2-AB-LED	29002950	Brass	4W, 450 Lumens, 2700K, Integrated LED

# TRANSFORMERS

**FEATURES:**

- Stainless Steel Casing
- Integrated Photocell/Timer
- Timer Functions: Constant On, Dusk to Dawn, and Up-To-9-Hour On From Dusk
- Large Terminal Blocks for Multiple Wire Management
- 150W Model: 2 Commons, 12V,15V Terminal Blocks
- 300W Model: 3 Commons, 12V,14V,15V Terminal Blocks
- Encapsulated Toroidal Core to Mitigate Noise & Vibrations
- Easy Mount Keyhole Slots for Mounting
- Overload Protection with Auto Thermal Shut-Off
- Secondary Side Magnetic Breakers
- ETL Listed to UL1838 Standards
- 6 ft. NEMA 5-15P Power Cord



PRODUCT CODE	SKU #	WATTAGE	PRIMARY VOLTAGE	SECONDARY VOLTAGE
LP-TR150-MT-SS	29006150	150W	120V	12V,15V
LP-TR300-MT-SS	29006300	300W	120V	12V,14V,15V

# LAMPS - MR16

**FEATURES:**

- Chip On Board (COB) Technology
- All Metal Construction
- 2700K
- 320-600 Lumens, 4W-7W
- 40 Degree Beam Spread
- Dimmable

PRODUCT CODE	SKU #	PRODUCT DESCRIPTION
LED-MR16-4W-2700M	29008424	LED COB MR16 4W 320 LM 40 DEG 2700K
LED-MR16-5W-2700M	29008524	LED COB MR16 5W 400 LM 40 DEG 2700K
LED-MR16-7W-2700M	29008724	LED COB MR16 7W 600 LM 40 DEG 2700K



## LAMPS - G4 SILICONE

**FEATURES:**

- Water Resistant Silicone
- G4 Base
- 160-250 Lumens, 1.3W-2.1W
- 2700K
- Dimmable

PRODUCT CODE	SKU #	PRODUCT DESCRIPTION
LED-G4-SIL1-2700	29008010	LED G4 SILICONE 1.3W 160 LM 2700K
LED-G4-SIL2-2700	29008020	LED G4 SILICONE 1.9W 210 LM 2700K
LED-G4-SIL3-2700	29008030	LED G4 SILICONE 2.1W 250 LM 2700K



## LAMPS - G4 CERAMIC

**FEATURES:**

- Ceramic Construction
- G4 Base
- 180-330 Lumens, 1.3W-3.1W
- 2700K
- Dimmable

PRODUCT CODE	SKU #	PRODUCT DESCRIPTION
LED-G4-CER1-2700	29008210	LED G4 CERAMIC 1.3W 180 LM 2700K
LED-G4-CER2-2700	29008220	LED G4 CERAMIC 2.1W 240 LM 2700K
LED-G4-CER3-2700	29008230	LED G4 CERAMIC 3.1W 330 LM 2700K



## LAMPS - SCB

**FEATURES:**

- Dimmable
- BA15S Base
- 280 Lumens, 3.2W
- 2700K

PRODUCT CODE	SKU #	PRODUCT DESCRIPTION
LED-SCB-3.2W-2700	29009010	LED SCB 3.2W 280 LM 2700K



## LAMP PRODUCT CODE GUIDE

Example: LED-MR16-4W-2700M

FAMILY	LAMP TYPE	WATTAGE	KELVIN	BEAM SPREAD
LED	MR16	4W	2700	M = Medium N = Narrow WF = Wide Flood

## LED LAMP & FIXTURE PERFORMANCE SPECIFICATIONS

	PRODUCT CODE	SKU	VOLTAGE	CRI	WATTS	LUMENS	POWER FACTOR (PF)	VOLT AMPS* (VA)
<b>MR16</b>	LED-MR16-4W-2700M	29008424	12V	80	4	320	0.91	4.39
	LED-MR16-5W-2700M	29008524			5	400	0.92	5.46
	LED-MR16-7W-2700M	29008724			7	600	0.96	7.29
<b>FLOOD LIGHT</b>	LP-FL1-AB-LED	29002050	12V	80	8.5	400	0.90	9.47
	LP-FL1-BZ-LED	29002010						
	LP-FL1-BK-LED	29002020						
<b>LEDGE LIGHT</b>	LP-LL1-AB-LED	29002450	12V	80	3	100	0.89	3.36
	LP-LL1-BZ-LED	29002410						
	LP-LL1-BK-LED	29002420						
<b>MODERN PATH LIGHT</b>	LP-MP1-BZ-LED	29000610	12V	80	3	160	0.93	3.23
	LP-MP1-BK-LED	29000620						
	LP-MP1-AB-LED	29000650						
<b>5" STEP LIGHT</b>	LP-SL1-BZ-LED	29002810	12V	80	2	200	0.85	2.35
	LP-SL1-BK-LED	29002820						
	LP-SL1-AB-LED	29002850						
<b>9" STEP LIGHT</b>	LP-SL2-BZ-LED	29002910	12V	80	4	500	0.93	4.31
	LP-SL2-BK-LED	29002920						
	LP-SL2-AB-LED	29002950						

\*VOLT AMPS = WATTS / POWER FACTOR

# LAMP PHOTOMETRICS - MR16

## 4W - BEAM SPREAD

LED-MR16-4W-2700M		
Distance	Beam Spread (FT)	Footcandles
2 FT	1.1	244.7
4 FT	2.2	61.2
6 FT	3.3	27.2
8 FT	4.5	14.8
10 FT	5.7	9.5
12 FT	6.8	6.6
14 FT	7.9	4.8
16 FT	9.1	3.7
18 FT	10.2	2.9
20 FT	11.4	2.4
30 FT	17.0	1.1
40 FT	22.7	0.6
50 FT	28.4	0.4

## 5W - BEAM SPREAD

LED-MR16-5W-2700M		
Distance	Beam Spread (FT)	Footcandles
2 FT	1.1	284.5
4 FT	2.3	71.1
6 FT	3.4	31.6
8 FT	4.6	17.2
10 FT	5.8	11.0
12 FT	7.0	7.6
14 FT	8.1	5.6
16 FT	9.3	4.3
18 FT	10.4	3.4
20 FT	11.6	2.8
30 FT	17.4	1.2
40 FT	23.2	0.7
50 FT	28.9	0.4

## 7W - BEAM SPREAD

LED-MR16-7W-2700M		
Distance	Beam Spread (FT)	Footcandles
2 FT	1.2	417.6
4 FT	2	104.4
6 FT	3.6	46.3
8 FT	5	26.1
10 FT	6	16.7
12 FT	7	11.6
14 FT	8.4	8.5
16 FT	10	6.5
18 FT	11	5.1
20 FT	12	4.2
30 FT	18	1.9
40 FT	24	1.0
50 FT	30	0.7

# INTEGRATED PHOTOMETRICS

## FLOOD LIGHT

LP-FL1-XX-LED 400LM		
Distance(FT)	Beam Spread(FT)	Footcandles(FC)
0.98	1.61	67.31
2.95	4.92	7.25
4.92	8.2	2.61
7.87	13.12	1.02
15.09	24.61	0.29
19.69	32.32	0.17

## LEDGE LIGHT

LP-LL1-XX-LED		
Distance(FT)	Beam Spread(FT)	Footcandles(FC)
0.98	2.2	17.01
2.95	6.69	1.83
4.92	11.15	0.66
7.87	17.81	0.26
15.09	33.43	0.07
19.69	43.86	0.04

## MODERN PATH LIGHT

LP-MP1-XX-LED		
Distance(FT)	Beam Spread(FT)	Footcandles(FC)
1.31	2.46	30.82
3.94	7.41	3.42
5.91	11.09	1.52
7.87	15.06	0.83
9.84	18.8	0.53
12.14	22.57	0.37
14.11	26.31	0.27
16.08	30.09	0.21
18.04	33.86	0.16
20.01	37.6	0.13

## SURFACE MOUNT STEP-LIGHT (5")

LP-SL1-XX-LED		
Distance (FT)	Beam Spread (FT)	Footcandles (FC)
1.31	4.2	12.2
3.94	12.6	1.36
5.91	18.86	0.6
7.87	25.56	0.33
9.84	31.96	0.21
12.14	38.39	0.15
14.11	44.75	0.11
16.08	51.15	0.08
18.04	57.58	0.07
20.01	63.91	0.05

## SURFACE MOUNT STEP-LIGHT (9")

LP-SL2-XX-LED		
Distance(FT)	Beam Spread(FT)	Footcandles(FC)
1.31	4.2	24.5
3.94	12.63	2.72
5.91	18.96	1.21
7.87	25.69	0.66
9.84	32.09	0.42
12.14	38.55	0.29
14.11	44.95	0.22
16.08	51.35	0.16
18.04	57.81	0.13
20.01	64.17	0.11



**Landscape Lighting + LED Lamps**  
**Landscape Products Inc.**

[landscapeproductsinc.com](http://landscapeproductsinc.com)

